

**1. Product and Company Identification**

**Product Name** Sifto Xtreme Performance Ice Melter  
**CAS #** Mixture  
**Product use** De-icer  
**Manufacturer** Sifto Canada Inc.  
 A Compass Minerals Company  
 9900 West 109th Street, Suite 100  
 Overland Park, KS 66210 US  
 Phone: 913-344-9200  
**CHEMTREC** 1-800-424-9300  
**CANUTEC** 1-800-996-6666

**2. Hazards Identification**

**Emergency overview** CAUTION  
 EYE IRRITANT

**Potential short term health effects**

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.  
**Eyes** Causes irritation.  
**Skin** May cause irritation.  
**Inhalation** Dusts of this product may cause irritation of the nose, throat, and respiratory tract.  
**Ingestion** May cause stomach distress, nausea or vomiting.

**Target organs** Eyes. Skin. Respiratory system.

**Chronic effects** Prolonged or repeated exposure can cause drying, defatting and dermatitis.

**Signs and symptoms** Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**OSHA Regulatory Status** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Potential environmental effects** See section 12.

**3. Composition / Information on Ingredients**

Ingredient(s)	CAS #	Percent
Sodium chloride	7647-14-5	40 - 70
Potassium chloride	7447-40-7	3 - 7
Calcium chloride	10043-52-4	15 - 40

**4. First Aid Measures**

**First aid procedures**

**Eye contact** Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention if irritation develops or persists.

**Skin contact** Brush away excess of dry material. Flush with water. Obtain medical attention if irritation persists.

**Inhalation** If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

**Ingestion** Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

**Notes to physician** Symptoms may be delayed.

**General advice** If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

---

## 5. Fire Fighting Measures

---

<b>Flammable properties</b>	Not flammable by WHMIS/OSHA criteria.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Treat for surrounding material.
<b>Unsuitable extinguishing media</b>	Not available
<b>Protection of firefighters</b>	
<b>Specific hazards arising from the chemical</b>	Not available
<b>Protective equipment for firefighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Hazardous combustion products</b>	May include and are not limited to: Hydrogen chloride. Oxides of sodium.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	Not available
<b>Sensitivity to static discharge</b>	Not available

---

## 6. Accidental Release Measures

---

<b>Personal precautions</b>	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
<b>Environmental precautions</b>	Prevent entry into waterways, sewers, basements or confined areas.
<b>Methods for containment</b>	Stop the flow of material, if this is without risk.
<b>Methods for cleaning up</b>	Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

---

## 7. Handling and Storage

---

<b>Handling</b>	Use good industrial hygiene practices in handling this material. Avoid contact with eyes. Avoid breathing dusts from this material.
<b>Storage</b>	Keep out of reach of children. Keep containers tightly closed in a cool, well-ventilated place.

---

## 8. Exposure Controls / Personal Protection

---

### Exposure limits

<b>Ingredient(s)</b>	<b>Exposure Limits</b>
Calcium chloride	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Potassium chloride	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Sodium chloride	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established

---

## Engineering controls

TWA PEL: No specific limits have been established for sodium chloride, potassium chloride or calcium chloride (soluble substances). As a guideline, OSHA (United States) has established the following limits which are generally recognized for inert or nuisance dust. Particulates Not Otherwise Regulated (PNOR): 5mg/cu.m. Respirable Dust 8-Hour TWA PEL, 15mg/cu.m. Total Dust 8-Hour TWA PEL.

TWA TLV: No specific limits have been established for sodium chloride, potassium chloride or calcium chloride (soluble substances). As a guideline, ACGIH (United States) has established the following limits which are generally recognized for inert or nuisance dust. Particulates (insolubles) Not Otherwise Classified (PNOC): 10mg/cu.m. Inhalable Particulate 8-Hours TWA TLV, 3mg/cu.m. Respirable Particulate TWA TLV.

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If user operations generate dust, fumes, or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

## Personal protective equipment

### Eye / face protection

Safety glasses

### Hand protection

Rubber gloves. Confirm with a reputable supplier first.

### Skin and body protection

As required by employer code.

### Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

---

## 9. Physical and Chemical Properties

---

Appearance	Crystalline.
Color	Blue / White
Form	Crystals
Odor	Odorless
Odor threshold	Not available
Physical state	Solid
pH	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not applicable
Flammability limits in air, upper, % by volume	Not applicable
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available
Solubility (H2O)	Partially soluble
Percent volatile	Not available

---

## 10. Stability and Reactivity

---

Reactivity	Dissolves in water releasing heat.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.

## 11. Toxicological Information

### Component analysis - LC50

Ingredient(s)	LC50
Calcium chloride	Not available
Potassium chloride	Not available
Sodium chloride	> 21000 mg/m3 rat

### Component analysis - Oral LD50

Ingredient(s)	LD50
Calcium chloride	1000 mg/kg rat; 1940 mg/kg mouse
Potassium chloride	1500 mg/kg mouse; 2500 mg/kg guinea pig; 2600 mg/kg rat
Sodium chloride	3000 mg/kg rat; 4000 mg/kg mouse

### Effects of acute exposure

<b>Eye</b>	Causes irritation.
<b>Skin</b>	May cause irritation.
<b>Inhalation</b>	Dusts of this product may cause irritation of the nose, throat, and respiratory tract.
<b>Ingestion</b>	May cause stomach distress, nausea or vomiting.
<b>Sensitization</b>	Not classified or listed by IARC, NTP, OSHA and ACGIH.
<b>Chronic effects</b>	Not classified or listed by IARC, NTP, OSHA and ACGIH.
<b>Carcinogenicity</b>	Not classified or listed by IARC, NTP, OSHA and ACGIH.
<b>Mutagenicity</b>	Not classified or listed by IARC, NTP, OSHA and ACGIH.
<b>Reproductive effects</b>	Not classified or listed by IARC, NTP, OSHA and ACGIH.
<b>Teratogenicity</b>	Not classified or listed by IARC, NTP, OSHA and ACGIH.
<b>Name of Toxicologically Synergistic Products</b>	Not available

## 12. Ecological Information

<b>Ecotoxicity</b>	May be harmful to freshwater aquatic species and to plants that are not saline tolerant.	
<b>Ecotoxicity - Freshwater Fish - Acute Toxicity Data</b>		
Calcium chloride	10043-52-4	96 Hr LC50 <i>Lepomis macrochirus</i> : 10650 mg/L [static]
<b>Ecotoxicity - Water Flea - Acute Toxicity Data</b>		
Calcium chloride	10043-52-4	48 Hr EC50 <i>Daphnia magna</i> : 52 mg/L
<b>Persistence / degradability</b>	Not available	
<b>Bioaccumulation / accumulation</b>	Not available	
<b>Mobility in environmental media</b>	Not available	
<b>Environmental effects</b>	Not available	
<b>Aquatic toxicity</b>	Not available	
<b>Partition coefficient</b>	Not available	
<b>Chemical fate information</b>	Not available	
<b>Other adverse effects</b>	Not available	

## 13. Disposal Considerations

<b>Disposal instructions</b>	Waste must be disposed of in accordance with federal, state/provincial and local environmental control regulations.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

## 14. Transport Information

### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

### Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

## 15. Regulatory Information

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**WHMIS status** Controlled

**WHMIS classification** Class D - Division 2B

### WHMIS labeling



### Occupational Safety and Health Administration (OSHA)

**29 CFR 1910.1200 hazardous chemical** Yes

**US Federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### CERCLA (Superfund) reportable quantity

None

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories**  
 Immediate Hazard - Yes  
 Delayed Hazard - No  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** Yes

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Not available

**State regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

### Inventory name


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other Information

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	0
Physical Hazard	0
Personal Protection	E



**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

23-Aug-2011

**Effective date**

30-Sep-2011

**Expiry date**

30-Sep-2014

**Prepared by**

Dell Tech Laboratories Ltd. (519) 858-5021

**Other information**

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.